

## Dynamic Settings for RPD™ Files

The screenshot displays the 'Manage' interface for an RPD file. The top navigation bar includes 'Send', 'Create', and 'Manage' (highlighted), along with a user profile for 'david@northendassoc.com' and a 'Logout' button. The main content area is divided into two panels: 'Control Status' and 'Limit Readers'.  
**Control Status** includes:

- Launches: 04/21/2023
- Expires: mm/dd/yyyy
- Restrict to domains: northendassoc.com
- Max reads per reader: 3
- Max views per document: Unlimited
- Allow responses to:
  - Identify leakers
  - Can print
  - Voting
  - Share votes
  - Display distribution list

**Limit Readers** includes:

- Banned regions: A world map where green indicates 'Permitted' regions (North America, South America, Europe) and red indicates 'Blocked' regions (Africa, Asia, Australia).
- Allowed IP: A text input field for entering authorized IP addresses in CIDR format.

At the bottom of the modal are 'Cancel' and 'Save' buttons. Below the modal, a summary table shows document details:

Pages:	2	Max reads per reader:	Unlimited	<input type="checkbox"/> Display distribution list
Sent:	04/21/2023 15:57	Max views per document:	Unlimited	<input type="checkbox"/> Voting

This feature allows you to modify the settings of an RPD™ file even after its creation. This not only saves time but also enhances productivity by removing the need to delete and recreate the document. With RDocs™, you have the control to shape your document settings as per your evolving needs.